



ISSN: 2456-0057
IJPNPE 2018; 3(2): 941-943
© 2018 IJPNPE
www.journalofsports.com
Received: 23-05-2018
Accepted: 25-06-2018

Miss Parmila
PGT (Guest Teacher), Dr.
Rajendra Prasad Sarvodya
Vidyalaya, Talkotara Stadium,
President's Estate, New Delhi,
India

A study on effect of 4 week circuit training on motor abilities of Kho-Kho players

Miss Parmila

Abstract

The purpose of the study was to investigate the effect of a 4 week circuit training programme on the motor abilities of kho-kho players. 30 male kho-kho players b/w 14-17 years of age who had participated at least in zonal level tournaments of district Bhiwani schools were selected as the subjects for the study. AAPHER youth physical fitness test was administered to collect the data. Descriptive statistics and 't' test were employed to analyse the data. Significant differences were found between Pre-test and Post-test for standing broad jump 600 meters, Shuttle Run, sit ups and 50 meters Dash of Kho-Kho players.

Keywords: Motor-abilities, kho-kho, circuit training

Introduction

Concept of Physical Fitness is as old as mankind, keeping in mind the survival of the fittest, down through the ages, only strong and agile people could defend invaders, protect themselves and their property. It is a hard fact that physically fit people are in a better position to bear the rigorous and abnormal stress and strain, than those who are less physically fit. The basic moments like running, jumping, climbing, throwing, lifting etc, require specific physical attributes such as muscular strength, muscular endurance, cardio-respiratory endurance, and strength, balance and co-ordination. Therefore this present study was an effort to investigate the physical fitness status of zonal level kho-kho players.

Purpose: The purpose of the study was to compare the effect of 4 week training on motor abilities of kho-kho players.

Selection of subjects: 30 male kho-kho players who had participated in zonal level tournaments of district Bhiwani Schools b/w 14-17 years of age were selected as the subjects for the study.

Selection of variables: The variables selected for training and testing were Strength, Speed, Endurance and Agility.

Administration of tests: To improve the physical fitness or motor abilities of the kho-kho players, 4 weeks training was given to the subjects after the school hours.

The tests were conducted before training and after 4 weeks of training as follows:

Pre-test - Before training.

Post-test - After 4 weeks of training.

Before every test, proper warming up was given to the subjects. The test items were taken from AAPHER Youth Fitness Test to check the effect of training on motor abilities of kho-kho players.

Criterion measures: AAPHER Youth Physical Fitness Test was administered to collect the data.

Statistical procedure

For the present study, the data obtained through different tests were statistically analysed. Mean, standard deviation and 't' test were employed to analyse the data.

Correspondence
Miss Parmila
PGT (Guest Teacher), Dr.
Rajendra Prasad Kendriya
Vidyalaya, Talkotara Stadium,
President's Estate, New Delhi,
India

Table 1: Comparative status of Pre-test and Post-test for standing broad jump of kho-Kho players

Test	Mean	SD	Mean Difference	S.E.	t-Value
Pre	143.2446667	14.68092798	-10.37066667	4.269650149	-2.428926564
Post	153.6153333	18.22666306			

Significant at .05 level of confidence and for 29 degree of freedom, where the table value of $t_{.05} (29) = 2.045$.

The table 1 represents the significance of mean difference of Pre-test and Post-test for standing broad jump of Kho-Kho players. The mean value of Standing Broad Jump for Pre-test and Post-test is 143.2447 and 153.615 respectively, where the standard deviation is 14.681 for Pre-test and 18.227 for post test. The mean difference of Pre-test and Post-test for Standing Broad Jump is calculated as 10.3707. The standard

error is also find out as 4.27 and the 't' ratio is calculated as 2.429, which is found significant at 0.05 level of confidence with the tabulated value of $t_{.05} = 2.045$ at 29 degree of freedom. It exhibits the significant difference in mean values among calculated 't' and tabulated 't' of Pre-test and Post-test of Kho-Kho players in Standing Broad Jump test.

Table 2: Comparative status of Pre-test and Post-test for Shuttle Run of kho-Kho players

Test	Mean	SD	Mean Difference	S.E.	t-Value
Pre	11.69666667	0.64262572	0.716	0.15819119	4.526168608
Post	10.98066667	0.58217152			

Significant at .05 level of confidence and for 29 degree of freedom, where the table value of $t_{.05} (29) = 2.045$.

The table 2 states the significance of mean difference of Pre-test and Post-test for Shuttle Run of Kho-Kho players. The mean value of Shuttle Run for Pre-test and Post-test are 11.69666 and 0.980666 respectively. The standard deviations are 0.642625 and 0.582171 respectively. The mean difference between Pre-test and Post-test is 0.716 and the standard error is 0.15819. The mean difference of Pre-test and Post-test is

0.716 and the standard error is 0.15819. The t ratio of Pre-test and Post-test is 4.526168 which is found to be significant at .05 level of confidence with the tabulated value of $t_{.05} (29) = 2.045$. It shows the significant difference in the mean values between calculated (t) and tabulated 't' for Pre-test and Post-test of Kho-Kho players for Shuttle Run list.

Table 3: Comparative status of Pre-test and Post-test for sit-ups run of Kho-Kho players

Test	Mean	SD	Mean Difference	S.E.	t-Value
Pre	23	6.700488917	8.566666667	1.62163461	5.282735467
Post	31.56666667	5.840898215			

Significant at 0.05 level of confidence and for 29 degree of freedom, where the table value of $t_{.05} (29) = 2.045$.

The table 3 states the significance of mean difference of Pre-test and Post-test for Sit-Ups of Kho-Kho players. The mean value of sit ups for Pre-test and Post-test is 23 and 31.567 respectively, where the standard deviation is 6.70 and 5.841 for Pre-test and Post-test respectively. The mean difference of both tests for Sit-Ups is calculated as 8.567 and the standard

error difference between mean is 1.6216. The 't' ratio is calculated as 5.283, which is found significant at 0.05 level of confidence with the tabulated value of $t_{.05} (29) = 2.045$. It shows the significant difference in mean value between the calculated 't' and tabulated 't' of Pre-test and Post-test of Kho Kho players in sit ups test.

Table 4: Comparative status of Pre-test and Post-test for 50 meters Dash of Kho-Kho players

Test	Mean	SD	Mean Difference	S.E.	t-Value
Pre	7.697	0.584442853	0.358666667	0.152911481	2.345583632
Post	7.338333333	0.600804537			

Significant at 0.05 level of confidence and for 29 degrees of freedom, when the table values of $t_{0.05} (29) = 2.045$.

The table 4 shows the significance of mean difference of Pre-test and Post-test for 50 meters Dash of Kho-Kho players. The mean value of Pre-test and Post-test for 50 meters Dash are given as 7.697 and 7.338 respectively and the standard deviation for both tests are 0.584 and 0.601. The mean difference between Pre-test and Post-test is calculated as

0.3586. The standard error between means is also calculated as 0.1529. The 't' ratio is calculated as 2.3456 which is significant at 0.05 level of confidence against the tabulated value of $t_{0.05} (29) = 2.045$. This seems a significant difference in mean values of Pre-test and Post-test of Kho-Kho players for 50 meters test.

Table 5: Comparative study of Pre-test and Post-test for 600 meters Run of Kho-Kho players

Test	Mean	SD	Mean Difference	S.E.	t-Value
Pre	116	10.32238946	7.5	2.482404973	3.021263687
Post	108.5	8.865858575			

Significant at 0.05 level of confidence and for 29 degrees of freedom, where the table value of $t_{0.05} (29) = 2.045$.

The table 5 shows the significance of mean difference of Pre-test and Post-test for 600 meters Run in care of Kho-Kho players. The mean value of Pre-test and Post-test are 116 and 108.5 respectively and the standard deviations are found to be 10.32238 and 8.866 respectively. The mean difference

between Pre-test and Post-test is calculated to be 7.5 and the standard error is also between Pre-test and Post-test is found to be 2.48. The 't' test was calculated as 3.0213 which is significant at .05 level of confidence against the tabulated value of $t_{.05} (29)=2.045$. This seems a non significant

difference in mean values of Pre-test and Post-test for 600 meters run test for of Kho-Kho players.

Conclusions

1. Significance of mean difference of Pre-test and Post-test for standing broad jump of Kho-Kho players.
2. Significance of mean difference of Pre-test and Post-test for Shuttle Run of Kho-Kho players.
3. Significance of mean difference of Pre-test and Post-test for Sit-Ups of Kho-Kho players.
4. Significance of mean difference of Pre-test and Post-test - for 50 meters Dash of Kho-Kho players
5. Significance of mean difference of Pre-test and Post-test for 600 meters Run in care of Kho-Kho players

References

1. Barrow M, Harold, McGee, Rosemary. Practical Approach to Measurements in Physical Education. Philadelphia Lea and Feleiger, 1979.
2. Barrow M Harnold. Man and his Movement in Sports and Physical Education. Philadelphia Company, 1963.